

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : GARDO GOLD  
Design code : A9476D

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : Herbicide

**1.3 Details of the supplier of the safety data sheet**

Company : Syngenta SA (Pty) Ltd  
P.O. Box 1044, No. 4 Krokodil drift Avenue  
Brits 0250  
South Africa  
  
Telephone : +27 (0)12 2506 300  
  
Telefax : -  
  
E-mail address of person responsible for the SDS : sds.ame@syngenta.com

**1.4 Emergency telephone number**

Emergency telephone number : +27 (0) 82 446 8946 (Griffon)

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Specific target organ toxicity - repeated exposure, Category 2, hematopoietic system	H373: May cause damage to organs through prolonged or repeated exposure.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Serious eye damage/eye irritation, Category 2A	H319: Causes serious eye irritation.

**2.2 Label elements****Labelling (REGULATION (EC) No 1272/2008)**

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Hazard pictograms :



Signal word : Warning

Hazard statements :

- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.
- H317 May cause an allergic skin reaction.

Precautionary statements : P102 Keep out of reach of children.

### Prevention:

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P270 Do not eat, drink or smoke when using this product.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P391 Collect spillage.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

S-metolachlor  
 terbuthylazine (ISO)  
 1,2-benzisothiazol-3(2H)-one

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
S-metolachlor	87392-12-9 607-432-00-4	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 25 - < 30
terbuthylazine (ISO)	5915-41-3 227-637-9 613-323-00-2	Acute Tox. 4; H302 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-	104376-75-2	Aquatic Chronic 2; H411	>= 2,5 - < 10
poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[tris(1-phenylethyl)phenoxy]-, ammonium salt	119432-41-6	Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 1 - < 2,5
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411  M-Factor (Acute aquatic toxicity): 1	>= 0,025 - < 0,05

For explanation of abbreviations see section 16.

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : Nonspecific  
No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : There is no specific antidote available.  
Treat symptomatically.

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.  
Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Refer to protective measures listed in sections 7 and 8.

**6.2 Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

**6.4 Reference to other sections**

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### 7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
S-metolachlor	87392-12-9	TWA	5 mg/m <sup>3</sup>	Syngenta
terbutylazine (ISO)	5915-41-3	TWA	0,8 mg/m <sup>3</sup>	Syngenta

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propane-1,2-diol	Workers	Inhalation	Long-term systemic effects	168 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Consumers	Inhalation	Long-term systemic effects	30 mg/m <sup>3</sup>
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term local effects	10 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term systemic effects	6,81 mg/m <sup>3</sup>
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m <sup>3</sup>
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propane-1,2-diol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Marine sediment	57,2 mg/kg
	Fresh water sediment	572 mg/kg
	Soil	50 mg/kg

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg
	Marine sediment	0,00499 mg/kg
	Freshwater - intermittent	0,0011 mg/l
	Marine water - intermittent	0,000110 mg/l
	Soil	3 mg/kg

### 8.2 Exposure controls

#### Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

Eye/face protection : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

#### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0,5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance : liquid  
Colour : white to beige  
Odour : weak  
Odour Threshold : No data available  
  
pH : 4 - 8  
Concentration: 1 % w/v  
  
Melting point/range : No data available  
  
Boiling point/boiling range : 100 °C (1.013,25 hPa)  
  
Flash point : Method: Seta closed cup  
does not flash  
  
Evaporation rate : No data available  
  
Flammability (solid, gas) : No data available  
  
Upper explosion limit / Upper flammability limit : No data available  
  
Lower explosion limit / Lower flammability limit : No data available  
  
Vapour pressure : No data available  
  
Relative vapour density : No data available  
  
Density : 1,082 g/cm<sup>3</sup> (20 °C)  
  
Solubility(ies)  
Solubility in other solvents : No data available  
  
Partition coefficient: n-octanol/water : No data available  
Auto-ignition temperature : 475 °C  
  
Decomposition temperature : No data available  
  
Viscosity  
Viscosity, dynamic : 117 - 311 mPa.s (40 °C)



**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Surface tension : 36,3 mN/m

Particle size : No data available

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

None reasonably foreseeable.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Conditions to avoid : No decomposition if used as directed.

**10.5 Incompatible materials**

Materials to avoid : None known.

**10.6 Hazardous decomposition products**

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Information on likely routes of exposure : Ingestion  
Inhalation  
Skin contact  
Eye contact

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Acute toxicity estimate: > 2.000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,703 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**Components:****S-metolachlor:**

Acute oral toxicity : LD50 (Rat, male and female): 2.672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2,91 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**terbuthylazine (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): 1.590 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**1,2-benzisothiazol-3(2H)-one:**

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**Skin corrosion/irritation****Components:****S-metolachlor:**

Species : Rabbit  
Result : No skin irritation

**terbuthylazine (ISO):**

Species : Rabbit  
Result : No skin irritation

**1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

**Components:****S-metolachlor:**

Species : Rabbit  
Result : No eye irritation

**terbuthylazine (ISO):**

Species : Rabbit  
Result : No eye irritation

**poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[tris(1-phenylethyl)phenoxy]-, ammonium salt:**

Result : Risk of serious damage to eyes.

**1,2-benzisothiazol-3(2H)-one:**

Species : Rabbit  
Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Product:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1A.  
Remarks : Based on data from similar materials

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**Components:****S-metolachlor:**

Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1B.

**terbuthylazine (ISO):**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.

**1,2-benzisothiazol-3(2H)-one:**

Result : Probability or evidence of skin sensitisation in humans

**Germ cell mutagenicity****Components:****S-metolachlor:**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

**terbuthylazine (ISO):**

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

**1,2-benzisothiazol-3(2H)-one:**

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity****Components:****S-metolachlor:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**terbuthylazine (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity****Components:****S-metolachlor:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

**terbuthylazine (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**STOT - repeated exposure****Components:****S-metolachlor:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**terbuthylazine (ISO):**

Target Organs : hematopoietic system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

---

**SECTION 12: Ecological information****12.1 Toxicity****Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,32 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 35,2 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,131 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,013 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Remarks: Based on data from similar materials

**Components:****S-metolachlor:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,23 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 1,4 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,077 mg/l  
Exposure time: 96 h

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

NOEC (Raphidocelis subcapitata (freshwater green algae)): 0,016 mg/l  
End point: Growth rate  
Exposure time: 96 h

EC50 (Lemna gibba (gibbous duckweed)): 0,023 mg/l  
Exposure time: 14 d

NOEC (Lemna gibba (gibbous duckweed)): 0,0076 mg/l  
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,03 mg/l  
Exposure time: 35 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,13 mg/l  
Exposure time: 28 d  
Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10

### terbuthylazine (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0,092 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 0,03 mg/l  
Exposure time: 72 h

NOEC (Desmodesmus subspicatus (green algae)): 0,0011 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Microcystis aeruginosa (blue-green algae)): 0,018 mg/l  
Exposure time: 96 h

NOEC (Microcystis aeruginosa (blue-green algae)): 0,0037 mg/l  
End point: Growth rate  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,045 mg/l  
Exposure time: 90 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,019 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

### poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

### poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-[tris(1-phenylethyl)phenoxy]-, ammonium salt:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 33 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 24 mg/l  
Exposure time: 48 h

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2,18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 2,94 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 0,15 mg/l  
Exposure time: 72 h

EC10 (*Raphidocelis subcapitata* (freshwater green alga)): 0,04 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,3 mg/l  
Exposure time: 28 d  
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,7 mg/l  
Exposure time: 21 d  
Species: *Daphnia* (water flea)

**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

**12.2 Persistence and degradability****Components:****S-metolachlor:**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 53 - 147 d  
Remarks: Product is not persistent.

**terbuthylazine (ISO):**

Biodegradability : Result: Not readily biodegradable.  
Stability in water : Degradation half life: 6 d  
Remarks: Product is not persistent.

**1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly degradable

**12.3 Bioaccumulative potential****Components:****S-metolachlor:**

Bioaccumulation : Remarks: Does not bioaccumulate.  
Partition coefficient: n-octanol/water : log Pow: 3,05 (25 °C)

**terbuthylazine (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.  
Partition coefficient: n-octanol/water : log Pow: 3,4 (25 °C)

**1,2-benzisothiazol-3(2H)-one:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

**12.4 Mobility in soil****Components:****S-metolachlor:**

Distribution among environmental compartments : Remarks: Moderately mobile in soils  
Stability in soil : Dissipation time: 12 - 46 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**terbuthylazine (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils



**GARDO GOLD**

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

Stability in soil : Dissipation time: 77 - 169 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Components:****terbuthylazine (ISO):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**1,2-benzisothiazol-3(2H)-one:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## GARDO GOLD

Version 3.0      Revision Date: 17.11.2022      SDS Number: S1179404019      This version replaces all previous versions.

### SECTION 14: Transport information

#### 14.1 UN number

**UNRTDG** : UN 3082  
**IMDG** : UN 3082  
**IATA** : UN 3082

#### 14.2 UN proper shipping name

**UNRTDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR, TERBUTHYLAZINE)  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (S-METOLACHLOR AND TERBUTHYLAZINE)  
**IATA** : Environmentally hazardous substance, liquid, n.o.s. (S-METOLACHLOR AND TERBUTHYLAZINE)

#### 14.3 Transport hazard class(es)

**UNRTDG** : 9  
**IMDG** : 9  
**IATA** : 9

#### 14.4 Packing group

**UNRTDG**  
Packing group : III  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

#### 14.5 Environmental hazards

**IMDG**

## GARDO GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	17.11.2022	S1179404019	

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other regulations:

None known.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

---

## SECTION 16: Other information

### Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure

## GARDO GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	17.11.2022	S1179404019	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410
STOT RE 2	H373
Skin Sens. 1	H317
2A	H319

#### Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

## GARDO GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	17.11.2022	S1179404019	

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN