

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : PRIMAGRAM GOLD
Design code : A9560A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Herbicide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta SA (Pty) Ltd
P.O. Box 1044, No. 4 Krokodil drift Avenue
Brits 0250
South Africa

Telephone : +27 (0)12 2506 300

Telefax : -

E-mail address of person responsible for the SDS : sds.ame@syngenta.com

1.4 Emergency telephone number

Emergency telephone number : +27 (0) 82 446 8946 (Griffon)

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.
Specific target organ toxicity - repeated exposure, Category 2, Heart, Kidney	H373: May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :  

Signal word : Warning

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P260 Do not breathe mist or vapours.

Response:

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

atrazine (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
atrazine (ISO)	1912-24-9 217-617-8 613-068-00-7	Skin Sens. 1; H317 STOT RE 2; H373 (Heart) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 30 - < 50
S-metolachlor	87392-12-9 607-432-00-4	Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 25 - < 30

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

		H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	
ethanediol	107-21-1 203-473-3 603-027-00-1 01-2119456816-28-xxxx	Acute Tox. 4; H302 STOT RE 2; H373 (Kidney)	$\geq 1 - < 10$
Amines, tallow alkyl, ethoxylated, compds. with polyethylene glycol hydrogen sulfate nonylphenyl ether	148373-01-7	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	$\geq 1 - < 2,5$
benoxacor	98730-04-2 01-2119382304-42-xxxx	Skin Sens. 1; H317 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	$\geq 1 - < 2,5$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60-xxxx	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1	$\geq 0,0025 - < 0,025$
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). :			
polyoxyethylene nonylphenol	9016-45-9 500-024-6	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	$\geq 0,25 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.

PRIMAGRAM GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	21.11.2022	S00047075882	

If breathing is irregular or stopped, administer artificial respiration.

Keep patient warm and at rest.

Call a physician or poison control centre immediately.

- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Nonspecific
No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

PRIMAGRAM GOLD

Version Revision Date: SDS Number: This version replaces all previous versions.
1.2 21.11.2022 S00047075882

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Specific use(s) : For proper and safe use of this product, please refer to the

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
atrazine (ISO)	1912-24-9	OEL-RL	4 mg/m ³	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		TWA	2 mg/m ³	Syngenta
S-metolachlor	87392-12-9	TWA	5 mg/m ³	Syngenta
ethanediol	107-21-1	OEL-RL (vapour fraction)	50 ppm	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		OEL- RL STEL/C (aerosol only)	20 mg/m ³	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		OEL- RL STEL/C (vapour fraction)	100 ppm	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
		TWA	20 ppm 52 mg/m ³	2000/39/EC
		STEL	40 ppm 104 mg/m ³	2000/39/EC
benoxacor	98730-04-2	TWA	1 mg/m ³	Syngenta

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanediol	Workers	Inhalation	Long-term local effects	35 mg/m ³
	Workers	Dermal	Long-term systemic effects	106 mg/kg
	Consumers	Inhalation	Long-term local effects	7 mg/m ³
	Consumers	Dermal	Long-term systemic effects	53 mg/kg
benoxacor	Industrial use	Dermal	Long-term exposure, Systemic effects	2,8 mg/kg
	Industrial use	Inhalation	Long-term exposure, Specific effects	1 mg/m ³
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m ³
	Workers	Dermal	Long-term systemic	0,966 mg/kg

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

			effects	
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ethanediol	Fresh water	10 mg/l
	Marine water	1 mg/l
	Intermittent use/release	10 mg/l
	Sewage treatment plant	199,5 mg/l
	Fresh water sediment	20,9 mg/kg
benoxacor	Soil	1,53 mg/kg
	Fresh water	0,022 mg/l
	Fresh water sediment	0,559 mg/l
	Marine water	0,0022 mg/l
	Marine sediment	0,0559 mg/kg dry weight (d.w.)
1,2-benzisothiazol-3(2H)-one	Soil	0,099 mg/kg dry weight (d.w.)
	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/kg
	Marine sediment	0,00499 mg/kg
	Freshwater - intermittent	0,0011 mg/l
	Marine water - intermittent	0,000110 mg/l
	Soil	3 mg/kg

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye/face protection : No special protective equipment required.
Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0,5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

PRIMAGRAM GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	21.11.2022	S00047075882	

- Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Remove and wash contaminated clothing before re-use.
Wear as appropriate:
Impervious clothing
- Respiratory protection** : No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | | |
|--|---|--|
| Appearance | : | fluid paste |
| Colour | : | white |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | 5 - 8 (20 - 25 °C)
Concentration: 1 % w/v |
| Melting point/range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1,1 g/cm ³ (20 - 25 °C)
Solubility(ies)		
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	400 - 900 mPa.s (20 - 25 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

Particle size : No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure :
 Ingestion
 Inhalation
 Skin contact
 Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, male and female): 3.271 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1,6 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.020 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

Components:

atrazine (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 3.090 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,82 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 3.100 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

S-metolachlor:

Acute oral toxicity : LD50 (Rat, male and female): 2.672 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2,91 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
 Assessment: The substance or mixture has no acute dermal toxicity

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

ethanediol:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Amines, tallow alkyl, ethoxylated, compds. with polyethylene glycol hydrogen sulfate nonylphenyl ether:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

benoxacor:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 670 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**atrazine (ISO):**

Species : Rabbit
Result : No skin irritation

S-metolachlor:

Species : Rabbit
Result : No skin irritation

Amines, tallow alkyl, ethoxylated, compds. with polyethylene glycol hydrogen sulfate nonylphenyl ether:

Result : Skin irritation

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

benoxacor:

Species : Rabbit
Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Mild skin irritation

polyoxyethylene nonylphenol:

Result : Skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**atrazine (ISO):**

Species : Rabbit
Result : No eye irritation

S-metolachlor:

Species : Rabbit
Result : No eye irritation

Amines, tallow alkyl, ethoxylated, compds. with polyethylene glycol hydrogen sulfate nonylphenyl ether:

Result : Irreversible effects on the eye

benoxacor:

Species : Rabbit
Result : No eye irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Result : Risk of serious damage to eyes.

polyoxyethylene nonylphenol:

Result : Eye irritation

PRIMAGRAM GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	21.11.2022	S00047075882	

Respiratory or skin sensitisation

Product:

Species : Guinea pig
 Result : Did not cause sensitisation on laboratory animals.

Components:

atrazine (ISO):

Test Type : Maximisation Test
 Species : Guinea pig
 Result : The product is a skin sensitiser, sub-category 1A.

S-metolachlor:

Species : Guinea pig
 Result : The product is a skin sensitiser, sub-category 1B.

benoxacor:

Species : Guinea pig
 Result : May cause sensitisation by skin contact.

1,2-benzisothiazol-3(2H)-one:

Result : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Components:

atrazine (ISO):

Germ cell mutagenicity- Assessment : Did not show mutagenic or teratogenic effects in animal experiments.

S-metolachlor:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

benoxacor:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

1,2-benzisothiazol-3(2H)-one:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

Carcinogenicity**Components:****atrazine (ISO):**

Carcinogenicity - Assessment : This substance has been reported to cause tumours in certain animal species., There is no evidence that these findings are relevant to humans.

S-metolachlor:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

benoxacor:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity**Components:****atrazine (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

S-metolachlor:

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

benoxacor:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - repeated exposure**Components:****atrazine (ISO):**

Target Organs Assessment : Heart
: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

S-metolachlor:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ethanediol:

Target Organs Assessment : Kidney
: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

benoxacor:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SECTION 12: Ecological information

12.1 Toxicity

Components:

atrazine (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 5,4 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,16 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,011 mg/l
End point: Growth rate
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : 0,06 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,26 mg/l
Exposure time: 28 d
Species: Americamysis

NOEC: 0,04 mg/l
Exposure time: 21 d
Species: Daphnia magna Straus

M-Factor (Chronic aquatic toxicity) : 1

S-metolachlor:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,23 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Americamysis): 1,4 mg/l

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

- plants Exposure time: 72 h
- EC10 (Desmodismus subspicatus (green algae)): 0,22 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0,31 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
- NOEC: 0,016 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,354 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1
- 1,2-benzisothiazol-3(2H)-one:**
- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,18 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,94 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0,15 mg/l
Exposure time: 72 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 0,04 mg/l
End point: Growth rate
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC: 0,3 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,7 mg/l
Exposure time: 21 d
Species: Daphnia (water flea)

polyoxyethylene nonylphenol:

Ecotoxicology Assessment

- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

12.2 Persistence and degradability**Components:****atrazine (ISO):**

Biodegradability : Result: Not readily biodegradable.
Stability in water : Remarks: Product is not persistent.

S-metolachlor:

Biodegradability : Result: Not readily biodegradable.
Stability in water : Degradation half life: 53 - 147 d
Remarks: Product is not persistent.

ethanediol:

Biodegradability : Result: Readily biodegradable.

benoxacor:

Biodegradability : Result: Not readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

12.3 Bioaccumulative potential**Components:****atrazine (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: 2,5 (25 °C)

S-metolachlor:

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: 3,05 (25 °C)

benoxacor:

Bioaccumulation : Remarks: Does not bioaccumulate.
Partition coefficient: n-octanol/water : log Pow: 2,6 (25 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

12.4 Mobility in soil

Components:

atrazine (ISO):

Distribution among environmental compartments : Remarks: Highly mobile in soils
 Stability in soil : Dissipation time: 38,5 d
 Percentage dissipation: 50 % (DT50)
 Remarks: Product is not persistent.

S-metolachlor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils
 Stability in soil : Dissipation time: 12 - 46 d
 Percentage dissipation: 50 % (DT50)
 Remarks: Product is not persistent.

benoxacor:

Distribution among environmental compartments : Remarks: Moderately mobile in soils
 Stability in soil : Dissipation time: 0,9 - 5,3 d
 Percentage dissipation: 50 % (DT50)
 Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

atrazine (ISO):

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

ethanediol:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

benoxacor:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

1,2-benzisothiazol-3(2H)-one:

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:**polyoxyethylene nonylphenol:**

Endocrine disrupting potential : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information**14.1 UN number**

UNRTDG : UN 3082

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

UNRTDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

(ATRAZINE, S-METOLACHLOR)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(ATRAZINE AND S-METOLACHLOR)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(ATRAZINE AND S-METOLACHLOR)

14.3 Transport hazard class(es)

UNRTDG : 9

IMDG : 9

IATA : 9

14.4 Packing group

UNRTDG

Packing group : III

Labels : 9

IMDG

Packing group : III

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

PRIMAGRAM GOLD

Version 1.2 Revision Date: 21.11.2022 SDS Number: S00047075882 This version replaces all previous versions.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

None known.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
ZA OEL	: South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits
2000/39/EC / TWA	: Limit Value - eight hours
2000/39/EC / STEL	: Short term exposure limit
ZA OEL / OEL-RL	: Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)
ZA OEL / OEL- RL STEL/C	: Occupational Exposure Limit Restricted limit - Short term occupational exposure limits / ceiling limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

PRIMAGRAM GOLD

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.2	21.11.2022	S00047075882	

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 1	H410
STOT RE 2	H373

Classification procedure:

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN