

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MIRAVIS AEON

Design code : A21461B

Manufacturer or supplier's details

Company : Syngenta SA (Pty) Ltd

Address : P.O. Box 1044, No. 4 Krokodildrift Avenue
Brits 0250
South Africa

Telephone : +27 (0)12 2506 300

Emergency telephone number : +27 (0) 82 446 8946 (Griffon)

Telefax : -

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H302 + H332 Harmful if swallowed or if inhaled.
H319 Causes serious eye irritation.

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P203 Obtain, read and follow all safety instructions before use.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help. Rinse mouth.
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P318 IF exposed or concerned, get medical advice.
P337 + P317 If eye irritation persists: Get medical help.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
propiconazole (ISO)	60207-90-1	>= 10 - < 20
octan-1-ol	111-87-5	>= 10 - < 20
azoxystrobin (ISO)	131860-33-8	>= 2,5 - < 10
pydiflumetofen	1228284-64-7	>= 2,5 - < 10
poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-	99734-09-5	>= 1 - < 2,5
bronopol (INN)	52-51-7	>= 0,025 - < 0,1

4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

		you when calling the emergency number, a poison control center or physician, or going for treatment.
If inhaled	:	Move the victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Keep patient warm and at rest. Call a physician or poison control centre immediately.
In case of skin contact	:	Take off all contaminated clothing immediately. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.
In case of eye contact	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.
If swallowed	:	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
Most important symptoms and effects, both acute and delayed	:	Nonspecific No symptoms known or expected.
Notes to physician	:	There is no specific antidote available. Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Extinguishing media - small fires Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Extinguishing media - large fires Alcohol-resistant foam or Water spray
Unsuitable extinguishing media	:	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during fire-fighting	:	As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health.
Specific extinguishing methods	:	Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Special protective equipment for firefighters	:	Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Refer to protective measures listed in sections 7 and 8.
---	---	--

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
Clean with detergents. Avoid solvents.
Retain and dispose of contaminated wash water.

7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propiconazole (ISO)	60207-90-1	TWA	5 mg/m ³	Syngenta
azoxystrobin (ISO)	131860-33-8	TWA	4 mg/m ³	Syngenta
pydiflumetofen	1228284-64-7	TWA	5 mg/m ³	Syngenta

- Engineering measures** : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
- The extent of these protection measures depends on the actual risks in use.
- Maintain air concentrations below occupational exposure standards.
Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Suitable respiratory equipment:
Respirator with a half face mask

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

		The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.
Hand protection		
Material	:	Nitrile rubber
Break through time	:	> 480 min
Glove thickness	:	0,5 mm
Remarks	:	Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Eye protection	:	Tightly fitting safety goggles Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Remove and wash contaminated clothing before re-use. Wear as appropriate: Impervious clothing
Protective measures	:	The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	cream
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	6,0 Concentration: 100 %w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Flash point	:	Method: Pensky-Martens closed cup does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1,06 - 1,10 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	445 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

MIRAVIS AEON

Version
1.3

Revision Date:
06.07.2023

SDS Number:
S00059108177

This version replaces all previous versions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :
Ingestion
Inhalation
Skin contact
Eye contact

Acute toxicity

Product:

Acute oral toxicity : LD50(Rat, female): 550 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50(Rat, male and female): > 2,08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50(Rat, male and female): > 5.000 mg/kg
Remarks: Based on data from similar materials

Components:

propiconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0,7 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

pydiflumetofen:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,11 mg/l

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Exposure time: 4 h
 Test atmosphere: dust/mist
 Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Acute oral toxicity : LD50 Oral (Rat): 5.000 mg/kg

bronopol (INN):

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

Skin corrosion/irritation

Product:

Species : Rabbit
 Result : No skin irritation
 Remarks : Based on data from similar materials

Components:

propiconazole (ISO):

Species : Rabbit
 Result : No skin irritation

azoxystrobin (ISO):

Species : Rabbit
 Result : No skin irritation

pydiflumetofen:

Species : Rabbit
 Result : No skin irritation

bronopol (INN):

Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Species : Rabbit
 Result : Irritation to eyes, reversing within 21 days
 Remarks : Based on data from similar materials

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Components:**propiconazole (ISO):**

Species : Rabbit
Result : No eye irritation

octan-1-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

azoxystrobin (ISO):

Species : Rabbit
Result : No eye irritation

pydiflumetofen:

Species : Rabbit
Result : No eye irritation

bronopol (INN):

Result : Risk of serious damage to eyes.

Respiratory or skin sensitisation**Product:**

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.
Remarks : Based on data from similar materials

Components:**propiconazole (ISO):**

Species : Guinea pig
Result : The product is a skin sensitiser, sub-category 1B.

azoxystrobin (ISO):

Species : Guinea pig
Result : Did not cause sensitisation on laboratory animals.

pydiflumetofen:

Test Type : mouse lymphoma cells
Species : Mouse
Result : Did not cause sensitisation on laboratory animals.

MIRAVIS AEONVersion
1.3Revision Date:
06.07.2023SDS Number:
S00059108177

This version replaces all previous versions.

Germ cell mutagenicity**Components:****propiconazole (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

azoxystrobin (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

pydiflumetofen:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity**Components:****propiconazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

azoxystrobin (ISO):

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

pydiflumetofen:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity**Components:****propiconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

azoxystrobin (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

pydiflumetofen:

Reproductive toxicity - Assessment : No toxicity to reproduction

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

STOT - single exposure

Components:

propiconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

bronopol (INN):

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Components:

propiconazole (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

pydiflumetofen:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,3 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,45 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5,3 mg/l
Exposure time: 72 h

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)):
0,586 mg/l

End point: Growth rate

Exposure time: 72 h

Remarks: Based on data from similar materials

EC10 (Raphidocelis subcapitata (freshwater green alga)):
1,33 mg/l

End point: Growth rate

Exposure time: 72 h

Remarks: Based on data from similar materials

Components:

propiconazole (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,3 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0,51 mg/l
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)):
8,9 mg/l
Exposure time: 96 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)):
0,96 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0,068 mg/l
Exposure time: 95 d
Species: Cyprinodon variegatus (sheepshead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,11 mg/l
Exposure time: 28 d
Species: Americamysis

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.

octan-1-ol:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13,3 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,47 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,28 mg/l
Exposure time: 48 h

EC50 (Americamysis): 0,055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,038 mg/l
End point: Growth rate
Exposure time: 96 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,301 mg/l
Exposure time: 96 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,02 mg/l
End point: Growth rate
Exposure time: 96 h

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3,2 mg/l
Exposure time: 6 h

Toxicity to fish (Chronic toxicity) : NOEC: 0,16 mg/l
Exposure time: 28 d
Species: Oncorhynchus mykiss (rainbow trout)

NOEC: 0,147 mg/l
Exposure time: 33 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,044 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,0095 mg/l
Exposure time: 28 d
Species: Americamysis

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

pydiflumetofen:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,18 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,42 mg/l
Exposure time: 48 h
- LC50 (Hyalella azteca (Amphipod)): 0,12 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 5,9 mg/l
Exposure time: 72 h
- EC10 (Raphidocelis subcapitata (freshwater green alga)): 2,3 mg/l
End point: Growth rate
Exposure time: 72 h
- ErC50 (Navicula pelliculosa (Freshwater diatom)): 1,6 mg/l
Exposure time: 72 h
- EC10 (Navicula pelliculosa (Freshwater diatom)): 0,97 mg/l
End point: Growth rate
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0,025 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,042 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 21 mg/l
Exposure time: 96 h

Ecotoxicology Assessment

- Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

bronopol (INN):

- Toxicity to algae/aquatic plants : NOEC (algae): 0,0025 mg/l
Exposure time: 72 h
- EC50 (algae): 0,068 mg/l
Exposure time: 72 h

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Persistence and degradability**Components:****propiconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

octan-1-ol:

Biodegradability : Result: Readily biodegradable.

azoxystrobin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 214 d
Remarks: The substance is stable in water.

pydiflumetofen:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 236 d
Remarks: Persistent in water.

bronopol (INN):

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****propiconazole (ISO):**

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3,72 (25 °C)

azoxystrobin (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

pydiflumetofen:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,8 (25 °C)

Mobility in soil**Components:****propiconazole (ISO):**

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Distribution among environmental compartments : Remarks: Low to medium mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Azoxystrobin has low to very high mobility in soil.

Stability in soil : Dissipation time: 80 d
Percentage dissipation: 50 % (DT50)
Remarks: Product is not persistent.

pydiflumetofen:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 674 d
Percentage dissipation: 50 % (DT50)
Remarks: Persistent in soil.

Other adverse effects

Components:

propiconazole (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

octan-1-ol:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

azoxystrobin (ISO):

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

pydiflumetofen:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

poly(oxy-1,2-ethanediyl), -[2,4,6-tris(1-phenylethyl)phenyl]- -hydroxy-:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
This substance is not considered to be very persistent and very bioaccumulating (vPvB).

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(AZOXYSTROBIN, PROPICONAZOLE)

Class : 9
Packing group : III
Labels : 9
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(AZOXYSTROBIN, PROPICONAZOLE)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

MIRAVIS AEON

Version 1.3 Revision Date: 06.07.2023 SDS Number: S00059108177 This version replaces all previous versions.

Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

IMDG-Code

UN number : UN 3082
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (AZOXYSTROBIN, PROPICONAZOLE)
 Class : 9
 Packing group : III
 Labels : 9
 EmS Code : F-A, S-F
 Marine pollutant : yes
 Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

None known.

16. OTHER INFORMATION

Revision Date : 06.07.2023

Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limit

Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

MIRAVIS AEON

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
1.3	06.07.2023	S00059108177	

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN